

INDEX TO VOLUME 79(1993)

AUTHORS

- Alam, M.K.: Harvest slot limit rationale for Lahontan cutthroat trout at Pyramid Lake, Nevada. 76-81.
- Assemien, O.: see Logan, 39-41.
- Baldrige, A.: see Starbird, 54-62.
- Beamesderfer, R.C.: A standard weight (W_s) equation for white sturgeon. 63-69.
- Beer, W.: see Lee, 1-12.
- Belt, K.C.: see Orloff, 45-53.
- Bleich, V.C.: Comments on research, publications, and California's longest continuously published journal. 42-43.
- Bleich, V.C.: see Thompson, 70-75.
- Boyd, R.S.: Fire effects on a montane Sierra Nevada meadow. 115-125.
- Brown, L.R.: Distribution, ecology, and status of the fishes of the San Joaquin River drainage. 96-114.
- Cech, J.J., Jr.: see Haeseker, 89-95.
- Contreras, J.: see Mellink, 169-170.
- Coyer, J.A.: Predation on small northern anchovy (*Engraulis mordax*) by large silversides (ATHERINIDAE). 82-84.
- Day, K.L.: see Logan, 39-41.
- Ellis, L.: see Jesus-Roldan, 171-172.
- Euliss, N.H.: see Mackay, 126-130.
- Fast, A.W.: Distribution of rainbow trout, largemouth bass, and threadfin shad in Lake Casistas, California. 13-27.
- Feeney, R.F.: see Rounds, 167-168.
- Flannery, A.W.: see Orloff, 45-53.
- Haeseker, S.L. Food habits of the brown smoothhound shark (*Mustelus henlei*) from two sites in Tomales Bay. 89-95.
- Hall, S.J.: see Coyer, 82-84.
- Harvey, J.T.: see Starbird, 54-62.
- Jesus-Roldan, M.: Geographical and size records of the electric stargazer (*Astroscopus zephyreus*) Gilbert and Starks, 1896 (PISCES: URANOSCOPIAE). 171-172.
- Kie, J.G.: see Loft, 145-166.
- Lea, R.N. Review of: Guide to northeast Pacific rockfishes genera *Sebastes* and *Sebastolobus* by D.E. Kramer and V.M. O'Connell. 87-88.
- Lee, D.P.: Trends in black bass fishing tournaments in California, 1985-1989. 1-12.
- Livezey, K.B.: Tule elk relocated to Brushy Mountain, Mendocino County, California. 131-132.
- Loft, E.R.: Grazing in the Sierra Nevada: home range and space use patterns of mule deer as influenced by cattle. 145-166.
- Logan, J.E.: Occurrence of the codling (*Halargyreus johnsonii*), MORIDAE, in the Eastern North Pacific. 39-41.
- Mackay, J.: A sampler for quantifying the vertical distribution of macroinvertebrates in shallow wetlands. 126-130.
- Magana, F.G.: see Jesus-Roldan, 171-172.
- Marks, M.: see Logan, 39-41.

- Mellink, E.: Western gray squirrels in Baja California. 169-170.
Menke, J.W.: see Loft, 145-166.
Miles, A.K.: Environmental contaminants in canvasbacks wintering on San Francisco Bay, California. 28-38.
Mosley, D.F.: see Alam, 76-81.
Moyle, P.B.: see Brown, 96-114.
Ohlendorf, H.M.: see Miles, 28-38.
Orloff, S.G.: Identification of San Joaquin kit fox (*Vulpes macrotis mutica*) tracks on aluminum tracking plates. 45-53.
Paulsen, I.: see Lee, 1-12.
Roest, A.I.: Ground squirrels feeding on eelgrass. 85-86.
Rounds, J.M.: First record of the tripletail (*Lobotes surinamensis*, Family LOBOTIDAE) in California waters. 167-168.
Starbird, C.H.: Seasonal occurrence of leatherback sea turtles (*Dermochelys coriacea*) in the Monterey Bay Region, with on other sea turtles, 1986-1991. 54-62.
Stefferd, J.A.: Spawning season and microhabitat use by California golden trout (*Oncorhynchus mykiss aguabonita*) in the Southern Sierra Nevada. 133-144.
Thompson, J.R.: A comparison of mule deer survey techniques in the Sonoran Desert of California. 70-75.
Vucinich, N.L.: see Alam, 76-81.
Wagner, P.L.: see Alam, 76-81.
Walter, G.: see Boyd, 115-125.
Woodward, R.A.: see Boyd, 115-125.

SUBJECT

- Anchovy, Northern: Predation by silversides. 82-84.
Bass, Black: Trends in fishing tournaments 1985-1989. 1-12.
Bass, Largemouth: Distribution in Lake Casitas, California. 13-27.
Shad, Threadfin: Distribution in Lake Casitas, California. 13-27.
Canvasbacks: Environmental contaminants in canvasbacks. 28-38.
Codling: Occurrence in Eastern North Pacific. 39-41.
Contaminants: Environmental in canvasbacks on San Francisco Bay. 28-38.
Deer, Mule: Comparison of survey techniques in the Sonoran Desert. 70-75.
Deer, Mule: Cattle grazing impacts on home range and space use in the Sierra Nevada. 145-166.
Elk, Tule: Relocation to Mendocino County, California. 131-132.
Fish: Distribution, ecology, and status of fishes in the San Joaquin River drainage. 96-114.
Fishing: Trends in black bass tournaments. 1-12.
Fox, San Joaquin Kit: Identification from aluminum track plates. 45-53.
Grazing: Influence of cattle on mule deer. 145-166.
Macroinvertebrates: A sampler for quantifying their vertical distribution. 126-130.
Meadows, Montane: Fire effects. 115-125.
Research: Comments on *California Fish and Game* journal. 42-43.
Rockfishes, Pacific: Book Review of Guide to Northeast Pacific rockfishes. 87-88.
San Joaquin River: Distribution, ecology, and status of fishes. 96-114.
Shark, Brown Smoothhound: Food habits in Tomales Bay, California. 89-95.
Silversides: Predation on Northern anchovy. 82-84.
Squirrels, Ground: Feeding on eelgrass. 85-86.
Squirrels, Western Gray: In Baja California. 169-170.

- Stargazer, Electric: Geographical and size records. 171-172.
Sturgeon, White: A standard weight equation. 63-69.
Tripletail: First record in California waters. 167-168.
Trout, California Golden: Spawning season and habitat use in the Sierra Nevada. 133-144.
Trout, Lahontan Cutthroat: Harvest slot limits in Pyramid Lake, Nevada. 76-81.
Trout, Rainbow: Distribution in Lake Casitas, California. 13-27.
Turtles, Leatherback Sea: Seasonal occurrence in Monterey Bay region, California. 54-62.
Wetlands: Sampler for quantifying macroinvertebrates. 126-130.

SCIENTIFIC NAMES

- | | |
|---|--|
| <i>Acipenser transmontanus</i> , 63-69. | <i>Melanitta perspicillata</i> , 28-38. |
| <i>Astroscoptes zephyreus</i> , 171-172. | <i>Micropterus</i> spp., 1-12. |
| <i>Atherinops affinis</i> , 82-84. | <i>Micropterus dolomieu</i> , 96-114. |
| <i>Atherinops californiensis</i> , 82-84. | <i>Micropterus salmoides</i> , 13-27, 96-114. |
| <i>Aythya marila</i> , 28-38. | <i>Mustelus henlei</i> , 89-95. |
| <i>Aythya valisineria</i> , 28-38. | <i>Mylopharodon conocephalus</i> , 96-114. |
| <i>Catostomus occidentalis</i> , 96-114. | <i>Odocoileus hemionus</i> , 145-166. |
| <i>Carex</i> sp., 115-125. | <i>Odocoileus hemionus eremicus</i> , 70-75. |
| <i>Cervus elaphus nannodes</i> , 131-132. | <i>Oncorhynchus clarki henshawi</i> , 76-81. |
| <i>Chelonia mydas</i> , 54-62. | <i>Oncorhynchus mykiss aguabonita</i> , 133-144. |
| <i>Dermochelys coriacea</i> , 54-62. | <i>O. mykiss</i> , 13-27, 96-114. |
| <i>Dorosoma petenense</i> , 13-27. | <i>Poa</i> sp., 115-125. |
| <i>Engraulis mordax</i> , 82-84. | <i>Ptychocheilus grandis</i> , 96-114. |
| <i>Gambusia affinis</i> , 96-114. | <i>Salmo trutta</i> , 96-114. |
| <i>Halargyreus johnsonii</i> , 39-41. | <i>Sciurus griseus</i> , 169-170. |
| <i>Juncus</i> sp., 115-125. | <i>Sebastes</i> spp., 87-88. |
| <i>Lampetra hubbsi</i> , 96-114. | <i>Sebastolobus</i> spp., 87-88. |
| <i>Lavinia exilicauda</i> , 96-114. | <i>Spermophilus beecheyi</i> , 85-86. |
| <i>Lavinia symmetricus</i> , 96-114. | <i>Urocyon cinereoargenteus</i> , 45-53. |
| <i>Lepidochelys olivacea</i> , 54-62. | <i>Vulpes macrotis mutica</i> , 45-53. |
| <i>Lepomis cyanellus</i> , 96-114. | <i>Vulpes vulpes</i> , 45-53. |
| <i>Lepomis macrochis</i> , 96-114. | <i>Zostera marina</i> , 85-86. |
| <i>Lobotes surinamensis</i> , 167-168. | |